Index of Authors

AHO, J. M. *See* ESCH, G. W.
ALEXANDER, J. Sex differences and cross-immunity in DBA/2 mice infected with *Leishmania mexicana* and *L. major*, 297
ALPERS, M. P. *See* GRAVES, P. M.
ANDERSON, R. M. *See* ELKINS. D. B.
ANDERSON, R. M. *See* HASWELL-ELKINS, MELISSA R.
ARME, C. *See* JEFFS, S. A.

BAKER, R. D. *See* MILLIGAN, P. J. M.
BAKER, ROSE D. *See* GASHUMBA, J. K.
BERREBI, P. *See* ZEDDAM. J.-L.
BETSCHART, B. *See* KNOWLES, G.
BICKLE, Q. D. *See* VIGNALI, D. A. A.
BRABIN, B. J. *See* GRAVES, P. M.
BRADLEY, D. J. *See* GRAVES, P. M.
BRIDGE, D. *See* HUDSON, L.
BUNNAG, D. *See* WONGRATANACHEEWIN, S.
BURKOT, T. R. *See* GRAVES, P. M.
BUSH, A. O. *See* ESCH, G. W.

CAMERON, M. L., LEVY, P., NUTMAN, T., VANAMALA, C. R., NARAYANAN, P. R. and RAJAN, T. V. Use of restriction fragment length polymorphisms (RFLPs) to distinguish between nematodes of pathogenic significance, 381
CARTER, R. *See* GRAVES, P. M.
CATTANI, J. A. *See* GRAVES, P. M.
CHAUDHURI, J., MARTIN, R. E. and DONAHUE, M. J. Evidence for the absorption and synthesis of 5-hydroxytryptamine in perfused muscle and intestinal tissue and whole worms of adult *Ascaris suum*, 157
CHAWENGKIRTTIKUL, R. *See* WONGRATANACHEEWIN, S.
CIBULSKIS, R. E. Origins and organization of genetic diversity in natural populations of *Trypanosoma brucei*, 303
CLARK, I. A. *See* THUMWOOD, C. M.
COTTRELL, B. J. *See* STURROCK, R. F.
COWDEN, W. B. *See* THUMWOOD, C. M.

DANIELS, D. *See* RICHARDS, K. SYLVIA.
DAVIES, C. S. *See* HAMILTON, A. J.
DE SANCHEZ, N. *See* HUDSON, L.
DOBSON, A. P. *See* PACALA, S. W.
DOENHOFF, M. J. *See* MODHA, J.
DONAHUE, M. J. *See* CHAUDHURI, J.
DYE, CHRISTOPHER. The epidemiology of canine visceral leishmaniasis in southern France: classical theory offers another explanation of the data, 19

ELKINS, D. B., HASWELL-ELKINS, MELISSA and ANDERSON, R. M. The importance of host age and sex to patterns of reinfection with *Ascaris lumbricoides* following mass anthelmintic treatment in a South Indian fishing community, 171
ELKINS, D. B. *See* HASWELL-ELKINS, MELISSA R.
ELSE, KATHRYN and WAKELIN, D. The effects of H-2 and non-H-2 genes on the expulsion of the nematode *Trichuris muris* from inbred and congenic mice, 543
ESCH, G. W., KENNEDY, C. R., BUSH, A. O. and AHO, J. M. Patterns in helminth communities in freshwater fish in Great Britain: alternative strategies for colonization, 519

FEILER, W. and HAAS, W. Host-finding in *Trichobilharzia ocellata* cercariae: swimming and attachment to host, 493
FEILER, W. and HAAS, W. *Trichobilharzia ocellata*: chemical stimuli of duck skin for cercarial attachment, 507
FOLEY, M., KUSEL, J. R. and GARLAND, P. B. Changes in the organization of the surface membrane upon transformation of cercariae to schistosomula of the helminth parasite *Schistosoma mansoni*, 85

GABRION, D. *See* ZEDDAM, J.-L.
GARDINER, P. R. *See* VOS, G. J.
GARDNER. R. A. and MOLYNEUX, D. H. *Trypanosoma* (*Megatrypanum*) *incertum* from *Pipistrellus pipistrellus*: development and transmission by cimicid bugs, 433
GARDNER, R. A. and MOLYNEUX, D. H. *Polychromophilus murinus*: a malarial parasite of bats: life-history and ultrastructural studies, 591
GARLAND, P. B. *See* FOLEY, M.
GASHUMBA, J. K., BAKER, ROSE D. and GODFREY, D. G. *Trypanosoma congolense*: the distribution of enzymic variants in East and West Africa, 475
GAULDIE, J. *See* MODHA, J.
GIBSON, F. D. *See* GRAVES, P. M.
GODFREY, D. G. *See* GASHUMBA, J. K.
GRAVES, P. M., BURKOT, T. R., CARTER, R., CATTANI, J. A., LAGOG, M., PARKER, J., BRABIN, B. J., GIBSON, F. D., BRADLEY, D. J. and ALPERS, M. P. Measurement of malarial infectivity of human populations to mosquitoes in the Madang area, Papua New Guinea, 251
GROCOCK, C. M. *See* YOUNG, A. S.
GUHL, F. *See* HUDSON, L.

HAAS, W. *See* FEILER, W.
HAMILTON, A. J., DAVIES, C. S. and SINDEN, R. E. Expression of circumsporozoite proteins revealed *in situ* in the mosquito stages of *Plasmodium berghei* by the Lowicryl-immunogold technique, 273
HASWELL-ELKINS, MELISSA R., ELKINS, D. B., MANJULA, K., MICHAEL, E. and ANDERSON, R. M. An investigation of hookworm infection and reinfection following mass anthelmintic treatment in the South Indian fishing community of Vairavankuppam, 565
HASWELL-ELKINS, MELISSA. *See* ELKINS, D. B.
HAYASHI, Y. *See* NAKAMURA, T.
HUDSON, L., GUHL, F., DE SANCHEZ, N., BRIDGE, D., JARAMILLO, C. A. and YOUNG, A. Longitudinal studies of the immune response of Colombian patients infected with *Trypanosoma cruzi* and *T. rangeli*, 449
HUNT, N. H. *See* THUMWOOD, C. M.

JANSE, C. J., PONNUDURAI, T., LENSEN, A. H. W., MEUWISSEN, J. H. E. TH., RAMESAR, J., VAN DER PLOEG, M. and OVERDULVE, J. P. DNA synthesis in gametocytes of *Plasmodium falciparum*, 1
JARAMILLO, C. A. *See* HUDSON, L.
JEFFS, S. A. and ARME, C. *Echinococcus granulosus* (Cestoda): uptake of L-amino acids by secondary hydatid cysts, 145
JOHNSTON, D. A. *See* MITCHELL, G. H.

KARIUKI, D. P. *See* YOUNG, A. S.
KAWAGUCHI, H. *See* NAKAMURA, T.
KENNEDY, C. R. *See* ESCH, G. W.
KNIGHT, A. M. *See* MITCHELL, G. H.
KNOWLES, G., BETSCHART, B., KUKLA, B. A., SCOTT, J. R. and MAJIWA, P. A. O. Genetically discrete populations of *Trypanosoma congolense* from livestock on the Kenyan coast, 461
KONISHI, T. *See* NAKAMURA, T.
KUKLA, B. A. *See* KNOWLES, G.
KUSEL, J. R. *See* FOLEY, M.

LAGOG, M. *See* GRAVES, P. M.
LEITCH, B. L. *See* MUTUGI, J. J.

LENSEN, A. H. W. *See* JANSE, C. J.
LEVY, P. *See* CAMERON, M. L.
LINYONYI, A. *See* MUTUGI, J. J.
LUCAS, S. *See* STURROCK, R. F.

MADDRELL, S. H. P. *See* SCHNITKER, ANTONIA.
MAJIWA, P. A. O. *See* KNOWLES, G.
MANJULA, K. *See* HASWELL-ELKINS, MELISSA R.
MARITIM, A. C. *See* MUTUGI, J. J.
MARTIN, R. E. *See* CHAUDHURI, J.
MBOGO, S. K. *See* MUTUGI, J. J.
MCLAREN, DIANE J. *See* WARD, ROSALIND E. M.
MEUWISSEN, J. H. E. TH. *See* JANSE, C. J.
MICHAEL, E. *See* HASWELL-ELKINS, MELISSA R.
MILLIGAN, P. J. M. and BAKER, R. D. A model of tsetse-transmitted animal trypanosomiasis, 211
MITCHELL, G. H., JOHNSTON, D. A., NAYLOR, B. A., KNIGHT, A. M. and WEDDERBURN, N. *Plasmodium vivax* malaria in the common marmoset, *Callithrix jacchus*: adaptation and host response to infection, 241
MODHA, J., PARIKH, VAISHU, GAULDIE, J. and DOENHOFF, M. J. An association between schistosomes and contraspin, a mouse serine protease inhibitor (serpin), 99
MOLOO, S. K. *See* VOS, G. J.
MOLYNEUX, D. H. *See* GARDNER, R. A.
MORRIS, D. L. *See* RICHARDS, K. SYLVIA.
MUTUGI, J. J., YOUNG, A. S., MARITIM, A. C., LINYONYI, A., MBOGO, S. K. and LEITCH, B. L. Immunization of cattle using varying infective doses of *Theileria parva lawrencei* sporozoites derived from an African buffalo (*Syncerus caffer*) and treatment with buparvaquone, 391

NAKAMURA, T., KONISHI, T., KAWAGUCHI, H. and HAYASHI, Y. Glucose phosphate isomerase isozymes as genetic markers for lines of *Eimeria tenella*, 281
NARAYANAN, P. R. *See* CAMERON, M. L.
NAYLOR, B. A. *See* MITCHELL, G. H.
NUTMAN, T. *See* CAMERON, M. L.

OVERDULVE, J. P. *See* JANSE, C. J.

PACALA, S. W. and DOBSON, A. P. The relation between the number of parasites/host and host age: population dynamic causes and maximum likelihood estimation, 197
PARIKH, VAISHU. *See* MODHA, J.
PARK, CHAI BIN. Microfilaria density distribution in the human population and its infectivity index for the mosquito population, 265
PARKER, J. *See* GRAVES, P. M.
PONNUDURAI, T. *See* JANSE, C. J.

RABINOVITCH, M. and ZILBERFARB, V. Destruction of intracellular and isolated *Leishmania mexicana amazonensis* amastigotes by amino acid amides, 289
RAIBAUT, A. *See* ZEDDAM, J.-L.
RAINES, KAREN M. and STEWART, G. L. Carbohydrate reserves and infectivity in *Trichinella spiralis* isolated from carrion, 533
RAJAN, T. V. *See* CAMERON, M. L.
RAMESAR, J. *See* JANSE, C. J.
REES, F. GWENDOLEN. The muscle, nervous and excretory systems of the plerocercoid of *Callitetrarhynchus gracilis* (Rud., 1819) (Pinter 1931) (Cestoda: Trypanorhyncha) from Bermuda fishes, 337
REID, G. D. F. *See* STURROCK, R. F.
RENAUD, F. *See* ZEDDAM, J.-L.
RICHARDS, K. SYLVIA, MORRIS, D. L., DANIELS, D. and RILEY, E. M. *Echinococcus granulosus*: the effects of praziquantel: *in vivo* and *in vitro*, on the ultrastructure of equine strain murine cysts, 323
RICHIE, T. L. Interactions between malaria parasites infecting the same vertebrate host, 607
RILEY, E. M. *See* RICHARDS, K. SYLVIA.

SCHAUB, G. A. *See* SCHNITKER, ANTONIA.
SCHNITKER, ANTONIA, SCHAUB, G. A. and MADDRELL, S. H. P. The influence of *Blastocrithidia triatomae* (Trypanosomatidae) on the reduviid bug *Triatoma infestans*: *in vivo* and *in vitro* diuresis and production of diuretic hormone, 9
SCOTT, J. R. *See* KNOWLES, G.
SEITZ, H. M. *See* STURROCK, R. F.
SINDEN, R. E. *See* HAMILTON, A. J.
SIRISINHA, S. *See* WONGRATANACHEEWIN, S.
SKORPING, ARNE. The effect of density of first-stage larvae of *Elaphostrongylus rangiferi* on the infection rate in the snail intermediate host, 487
SMITH, GARY. The population biology of the parasitic stages of *Haemonchus contortus*, 185
STEWART, G. L. *See* RAINES, KAREN M.
STURROCK, R. F., COTTRELL, B. J., LUCAS, S., REID, G. D. F., SEITZ, H. M. and WILSON, R. A. Observations on the implications of pathology induced by experimental schistosomiasis in baboons in evaluating the development of resistence to challenge infection, 37

TAYLOR, M. G. *See* VIGNALI, D. A. A.
THUMWOOD, C. M., HUNT, N. H., CLARK, I. A. and COWDEN, W. B. Breakdown of the blood–brain barrier in murine cerebral malaria, 579
TINDALL, N. R. and WILSON, P. A. G. Criteria for a proof of migration routes of immature parasites inside hosts exemplified by studies of *Strongyloides ratti* in the rat, 551

UDONSI, J. K. Experimental and field studies on the viability of eggs, and the infectivity of third-stage larvae of the human hookworm *Necator americanus* recovered from the creek waters of the Niger Delta, Nigeria, and their epidemiological significance, 111

VAN DER PLOEG, M. *See* JANSE, C. J.
VANAMALA, C. R. *See* CAMERON, M. L.
VIGNALI, D. A. A., BICKLE, Q. D. and TAYLOR, M. G. Studies on immunity to *Schistosoma mansoni in vivo*: whole-body irradiation has no effect on vaccine-induced resistance in mice, 49
VOS, G. J., MOLOO, S. K. and GARDINER, P. R. Susceptibility of goats to tsetse-transmitted challenge with *Trypanosoma vivax* from East and West Africa, 25

WAKELIN, D. *See* ELSE, KATHRYN.
WARD, ROSALIND E. M. and MCLAREN, DIANE J. *Schistosoma mansoni*: evidence that eosinophils and/or macrophages contribute to skin-phase challenge attrition in vaccinated CBA/Ca mice, 63
WEDDERBURN, N. *See* MITCHELL, G. H.
WILSON, P. A. G. *See* TINDALL, N. R.
WILSON, R. A. *See* STURROCK, R. F.
WONGRATANACHEEWIN, S., CHAWENGKIRTTIKUL, R., BUNNAG, D. and SIRISINHA, S. Analysis of *Opisthorchis viverrini* antigens by immunoprecipitation and polyacrylamide gel electrophoresis, 119

YOUNG, A. *See* HUDSON, L.
YOUNG, A. S., GROOCOCK, C. M. and KARIUKI, D. P. Integrated control of ticks and tick-borne diseases of cattle in Africa, 403
Young, A. S. *See* MUTUGI, J. J.

ZEDDAM, J.-L., BERREBI, P., RENAUD, F., RAIBAUT, A. and GABRION, D. Characterization of the two species of *Lepeophtheirus* (Copepoda, Caligidae) from flatfishes. Description of *Lepeophtheirus europaensis* sp. nov., 129
ZERVOS, S. Population dynamics of a thelastomatid nematode of cockroaches, 353
ZERVOS, S. Evidence for population self-regulation, reproductive competition and arrhenotoky in a thelastomatid nematode of cockroaches, 369
ZILBERFARB, V. *See* RABINOVITCH, M.

Index of Subjects

Absorption, of 5-hydroxytryptamine in *Ascaris suum*, 157
of L-amino acids by secondary hydatid cysts of *Echinococcus granulosus*, 145
Adaptation, of the common marmoset to infection with *Plasmodium vivax*, 241
Amastigotes, killing of by amino acid amides, 289
Amino acid amides, killing of *Leishmania mexicana amazonensis* by, 289
Amino acid uptake, by the secondary hydatid cysts of *Echinococcus granulosus*, 145
Analysis, of genetic diversity in natural populations of *Trypanosoma brucei*, 303
Anthelmintic treatment, effects on a re-infection in a South Indian fishing community, 565
patterns of reinfection following, in South India, 171
Antigens, of *Opisthorchis viverrini*, analysis of by immunoprecipitation and PAGE, 119
Arrhenotoky, evidence for in a thelastomatid nematode of cockroaches, 369
Ascaris lumbricoides, patterns of reinfection with in South India, 171
Ascaris suum, 5-hydroxytryptamine in, 157
Attachment, of the cercaria of *Trichobilharzia ocellata* is enhanced by chemical stimuli, 507

Baboons, experimental schistosomiasis in, 37
Blastocrithidia triatomae, effect of on *Triatoma infestans*, 9
Blatticola monandros, population dynamics of in cockroaches, 353
Blood-brain barrier, breakdown of in murine cerebral malaria, 579
Buparvaquone, treatment of *Theileria parva lawrencei*-infected cattle with, 391

Callitetrarhynchus gracilis, description of the plerocercoid of, 337
Callithrix jacchus, *Plasmodium vivax* malaria in, 241
Canine visceral leishmaniasis, epidemiology of, 19
Carbohydrate reserves, and infectivity of *Trichinella spiralis*, 533
Cercaria, of *Trichobilharzia ocellata*, host-identification by, 493
Cerebral malaria, breakdown of the blood–brain barrier in, 579
Ceremides, as cercarial attachment stimuli, 507
Chemical signals, stimulation of cercarial attachment by, 507
Chicken coccidia, use of genetic markers to distinguish different lines of, 281
Cholesterol, as a cercarial attachment stimulus, 507
Cimicid bugs, development and transmission of *Trypanosoma incertum*, in, 433
Circumsporozoite antigens, expression of in the mosquito stages of *Plasmodium berghei*, 273
Colonization, alternative strategies for in helminth communities, 519
Contrapsin, a mouse serine protease inhibitor associated with *Schistosoma mansoni*, 99
immunoelectrophoretic characteristics of in uninfected and *S. mansoni* infected mice, 99
Control, of ticks and tick-borne diseases of cattle in Africa, 403
Cross-immunity, between *Leishmania mexicana* and *L. major* in DBA/2 mice, 297
Cutaneous immunity, to *Schistosoma mansoni* in vaccinated mice, 63

Density of 1st-stage larvae, of *Elaphostrongylus rangiferi*, effect of on infection rate in snails, 487
Development, of *Trypanosoma incertum* in cimicid bugs, 433
Distribution, of enzymic variants of *Trypanosoma congolense*, 475
Diuretic hormone, effect of *Blastocrithidia triatomae* on the production of in *Triatoma infestans*, 9
DNA synthesis, in *Plasmodium falciparum* gametocytes, 1

Echinococcus granulosus, effects of praziquantel on the ultrastructure of the cysts of, 323
uptake of L-amino acids by the secondary hydatid cysts of, 145
Egg viability, experimental and field studies of in *Necator americanus*, 111
Eimeria tenella, glucose phosphate isomerase isozymes as genetic markers for lines of, 281
Elaphostrongylus rangiferi, effect of density of the 1st-stage larvae of on infection rate in snails, 487
Enzymic variants, distribution of in *Trypanosoma congolense*, 475
Enzyme variation, in stocks of *Trypanosoma congolense* from the Kenyan coast, 461

Eosinophil, contribution of to cutaneous immunity to *S. mansoni* in vaccinated mice, 63
Epidemiological significance, of egg viability and larval infectivity of *Necator americanus*, 111
Epidemiology, of canine visceral leishmaniasis, 19
of hookworm infection in a South Indian fishing community, 565
Equine strain cysts, of *Echinococcus granulosus*, effects of praziquantel on, 323
Excretion, of parasitized *Triatoma infestans*, 9
Expulsion, of *Trichuris muris* from H-2 and non-H-2 mice, 543

Freshwater fish in Britain, patterns of helminth communities in, 519

Gametocytes, DNA synthesis in, in *Plasmodium falciparum*, 1
Genetically discrete trypanosomes, detection of in livestock from the Kenyan coast, 461
Genetic control, of immunity to *Trichuris muris*, 543
Genetic diversity, origins of in *Trypanosoma brucei* populations, 303
Genetic markers, for lines of *Eimeria tenella*, 281
Glucose phosphate isomerase isozymes, as genetic markers for *Eimeria tenella*, 281

Haemonchus contortus, population biology of, 185
Helminth communities, alternative strategies for colonization by, 519
Helminth control, in a South Indian fishing community, 171
Homologous immunity, induction of to *Trypanosoma vivax* in goats, 25
Hookworm infections, effect of mass anthelmintic treatment on, 565
Host age, influence of on parasite distribution, 197
Host-finding, in *Trichobilharzia ocellata* cercariae, 493
Host-sharing parasites, interactions between, 607
5-Hydroxytryptamine, in perfused *Ascaris suum*, 157

Immunity, to *Leishmania mexicana* and *L. major* in DBA/2 mice, 297
to *Schistosoma mansoni in vivo*, 49
to *Trichuris muris*, genetic control of, 543
Immunization, of cattle against *Theileria parva lawrencei*, 391
Immunodiagnosis, potential of *Opisthorchis viverrini* antigens in, 119
Infection rate, effect of density of 1st-stage larvae of *Elaphostrongylus rangiferi* on, 487
Infectivity, of humans, to malaria in Papua New Guinea, 251
of 3rd-stage larvae of *Necator americanus*, 111
of *Trichinella spiralis* isolated from carrion, 533
Infectivity index, a new method of computing for the mosquito population, 265
Irradiation, studies on the effects of on immunity to *Schistosoma mansoni*, 49

Killing, of *Leishmania mexicana amazonensis* by amino acid amides, 289

Leishmania major, cross-immunity with *L. mexicana* in male and female DBA/2 mice, 297
Leishmania mexicana amazonensis, killing of by amino acid amides, 289
Leishmaniasis, canine visceral, a new model to describe the epidemiology of, 19
Lepeophtheirus europaensis sp.nov., characterization of, 129
Life-history, of *Polychromophilus murinus*, a malarial parasite of bats, 591
Longitudinal studies, of the immune response to *Trypanosoma cruzi* and *T. rangeli* in humans, 449
Lowicryl-immunogold technique, use of to reveal circumsporozoite antigens of *Plasmodium berghei*, 273

Malarial infectivity, of humans in Papua New Guinea, 251
Malaria parasites, interactions between in the same vertebrate host, 607
Marmoset, *Plasmodium vivax* malaria in, 241
Mathematical model, of tsetse-transmitted animal trypanosomiasis, 211
to describe the population biology of *Haemonchus contortus*, 185
to describe the relationship between host age and number of parasites, 197
Maximum likelihood estimation, effect of host age on, 197
Membrane, changes in the organization of during schistosome transformation, 85

Microfilaria density distribution, and infectivity index for the mosquito population, 265
Migration pathway, of *Strongyloides ratti* inside its host, 551
Mosquito population, a new method for computing the infectivity index of, 265
Murine cerebral malaria, breakdown of the blood–brain barrier in, 579

Necator americanus, egg viability and larval infectivity of, 111
Nematode DNA polymorphisms, 381
New model, for the epidemiology of canine visceral leishmaniasis, 19
New species, description of *Lepeophtheirus europaensis*, 129
Occupational practices, effect of on the patterns of hookworm infection, 565
Opisthorchis viverrini, analysis of the antigens of, 119

Papua New Guinea, malarial infectivity of humans in, 251
Parasite distribution, effect of host age on, 197
Pathology, induction of by experimental schistosomiasis in baboons, 37
Pipistrellus pipistrellus, *Trypanosoma incertum* in, 433
Plasmodium berghei, circumsporozoite antigens of, 273
  influence of on breakdown of the blood–brain barrier in mice, 579
Plasmodium falciparum, DNA synthesis in the gametocytes of, 1
Plasmodium vivax, in the common marmoset, 241
Plerocercoid, description of from *Callitetrarhynchus gracilis*, 337
Polychromophilus murinus, life-history and ultrastructural studies on, 591
Polymorphisms, use of to distinguish between nematodes of pathogenic significance, 381
Population biology, of *Haemonchus contortus*, 185
Population dynamics, of a thelastomatid nematode of cockroaches, 353
Population self-regulation, evidence for in a thelastomatid nematode of cockroaches, 369
Populations, of *Trypanosoma congolense* from livestock on the Kenyan coast, 461
Praziquantel, effects of on the ultrastructure of the cysts of *Echinococcus granulosus*, 323

Reinfection, patterns of with *Ascaris lumbricoides* in South India, 171
Reproductive competition, evidence for in a thelastomatid nematode of cockroaches, 369
Resistance, development of during experimental schistosomiasis in baboons, 37
Restriction fragment length polymorphisms, use of to distinguish between nematodes of pathogenic significance, 381

Schistosoma mansoni, association of with contrapsin, a mouse serine protease inhibitor, 99
  cutaneous immunity in vaccinated mice, 63
  studies on immunity to *in vivo*, 49
Schistosome transformation, membrane changes induced by, 85
Schistosomiasis, in baboons, 37
Sex differences, effects of on cross-immunity between *Leishmania mexicana* and *L. major* in DBA/2 mice, 297
Strongyloides ratti, rigorous proof of migration pathway of, inside its host, 551
Surface membrane, changes in during schistosome transformation, 85
Susceptibility, of goats to *Trypanosoma vivax*, 25
Synthesis, of DNA in the gametocytes of *Plasmodium falciparum*, 1
  of 5-hydroxytryptamine in *Ascaris suum*, 157

Theileria parva lawrencei, immunization of cattle against, 391
Thelastomatid nematode, population dynamics of in cockroaches, 353
Tick-borne diseases, of cattle, integrated control of in Africa, 403
Ticks, of cattle, integrated control of in Africa, 403
Transmission, of animal trypanosomiasis, an analytical model to describe, 211
  of *Trypanosoma incertum* by cimicid bugs, 433
Triatoma infestans, influence of *Blastocrithidia triatomae* on, 9
Trichinella spiralis, carbohydrate levels in, 533
Trichobilharzia ocellata, cercarial attachment of is enhanced by chemical stimuli, 507
  host-finding in, 493

Trichuris muris, genetic control of immunity to, 543
Trypanosoma brucei, genetic diversity in natural populations of, 303
Trypanosoma congolense, distribution of enzymic variants of in East and West Africa, 475
genetically discrete populations of, 475
Trypanosoma cruzi, immune response of Colombian patients infected by, 449
Trypanosoma incertum, in bats, development and transmission of by cimicid bugs, 433
Trypanosoma rangeli, immune response of Colombian patients infected by, 449
Trypanosoma vivax, induction of homologous immunity to in goats, 25
susceptibility of goats to, 25
Trypanosomiasis transmission, an analytic model for in animals, 211
Tsetse-transmitted animal trypanosomiasis, a mathematical model for, 211

Ultrastructural studies, on *Polychromophilus murinus*, a malarial parasite of bats, 591

Vaccinated mice, cutaneous immunity in to *Schistosoma mansoni*, 63
Vaccine-induced resistance, lack of effect of whole-body irradiation on in *S. mansoni* infected mice, 49